
REPAIR TOOLS FOR MODEL "H" Schebler Motorcycle CARBURETOR



For Sale By

The Wheeler-Schebler Carburetor Co.

INDIANAPOLIS, INDIANA, U. S. A.

The Schehler Carburetor


The Wheeler-Schebler Carburetor Company offers to the Motorcycle Service Station the following tools, which are particularly adapted for repairing the Model "H" Schebler Motorcycle Carburetor.

The following list gives the number of the tools, the use to which each one is put, and the price. It is preferable that a complete set be ordered, however, an order for any one or more tools will have prompt and careful attention.

| Number Tool | NAME | Price |
|----------------|--|--------|
| AT- 4 | Float Lever Tap | \$0.35 |
| | To tap out Float Lever for Float Valve Retainer Nut. | |
| AT- 5 | Holder, for Taps and Reamers | .75 |
| AT- 6 | Dies, for Float Valve Retainer Nut | .70 |
| AT- 8 | Float Valve Retainer Nut Socket Wrench | .35 |
| AT-12 | Depth Gauge, for leveling floats | .60 |
| AT-13 | Broach, for reaming Float Valve Seat | .70 |
| AT-14 | Reamer, for Float Lever Bearing | .20 |
| AT-15 | 1/4" Reamer, for oversize throttle shaft | 1.25 |
| AT-17 | Mandrel, for shortening Float Levers | .25 |
| AT-18 | Float Valve Seat Facer | .40 |
| AT-21 | No. 40 Drill Rod 2" long | .03 |
| | This piece of Drill Rod is inserted in the float lever bearing | |
| | when the float lever is placed in a vise or holding tool. | |
| AT-22 | Tap, for Float Washer | .20 |
| AT-23 | Spring Socket tool for seating Float Valve | .50 |
| | This Socket Tool grips the end of the Float Valve so that | |
| | the Valve may be turned while seating it. | |
| AT-46 | Bowl Cap Guide for facer and former | .15 |
| AT-48 | Nozzle drills with holder (Drill size 53, 55, 57 and 60) each | .20 |
| AT-49 | Nozzle Center Drill | . 30 |
| AT-52 | Float Valve Seat Former | .25 |
| AT-54 | Float Lever Bender | .40 |
| AT-56 | Facing Tool, for Float Lever | .35 |
| AT-63 | Drill for Oversize Throttle Shaft | .25 |

The above named tools constitute a complete set and when ordered as such will be furnished for the net amount of \$7.00. In ordering tools in broken sets the list price will be charged for such tools furnished. The prices above quoted are f. o. b. Indianapolis.


In placing orders for repair parts for the Model "H" Schebler Carburetor, it is suggested that such orders be placed with instructions that original Schebler parts be furnished.



and the second s

The Schehler Carburetor

Diagram showing where Repair Tools are used.



A — Threaded Base of Float Lever for Float Valve Retainer Nut.

B — Float Valve.

C -Cork Float.

D-Float Valve Seat.

E-Float Lever Bearing.

F --- Float Lever.

G-Float Washer.

H-Float Valve Retainer Nut.

I -Spray Nozzle.

J-Thottle Shaft.